



RAVENOL Break-In Oil SAE 30



ART.-NR. 1114105

1 L | 1114105-001
 4 L | 1114105-004
 5 L | 1114105-005
 20 L | 1114105-020
 20 L | 1114105-B20
 60 L | 1114105-060
 60 L | 1114105-D60
 208 L | 1114105-208
 208 L | 1114105-D28
 1000 L | 1114105-700

SPECIFICATIONS SAE 30

RAVENOL Break-In Oil SAE 30 is mineral break-in oil for start-up filling and the breaking-in of repaired or overhauled engines.

RAVENOL Break-In Oil SAE 30 dispenses with the use of friction coefficient improving additives (friction modifier) to considerably shorten the break-in phase for rebuilt and modified engines. The piston rings are rapidly seated.

Due to its high content of 2.5% ZDDP (zinc dithiophosphate) (equivalent to approx. 2,500 ppm zinc), **RAVENOL Break-In Oil SAE 30** is especially recommended for driving classic V8 engines with flat tappets.

Application Notes

RAVENOL Break-In Oil SAE 30 serves as a classic break-in oil and therefore can only remain in the engine for a short time (max. 1000km). The particularly high levels of anti-wear additives offer extra protection during the critical break-in phase of rebuilt engines. Please pay attention to the specifications of your engine reconditioners during the break-in phase. High engine loads and speeds are to be avoided.

Characteristics

RAVENOL Break-In Oil SAE 30 offers:

- Very high levels of ZDDP
- No friction modifier
- Breaks the engine in as quickly as possible

Property	Unit	Data	Audit
Density at 20°C	kg/m ³	881	EN ISO 12185
Colour		rot	visual



Property	Unit	Data	Audit
Viscosity at 40°C	mm ² /s	90,6	DIN 51 562
Viscosity index VI		106	DIN ISO 2909
Pourpoint	°C	-27	DIN ISO 3016
Flash point (COC)	°C	248	DIN ISO 2592
Sulphated ash	%wt.	0,9	DIN 51575

All information correspond to the best of our knowledge to the actual situation of the cognitions and our development. Subject to alterations. All references made to DIN-norms are only for the description of the goods. There is no guarantee. In case there will be any problems please contact the technical service.

Release: : 22. October 2019